

7. REFERENCES

1. Abbiw, DK. Useful plants of Ghana: West African uses of wild and cultivated plants. London: Intermediate Technology Publications. 1990; pp. 337.
2. Igoli, J.O., Ogaji, O.G., Tor-Anyiin, T.A., Igoli, N.P. Traditional medicine practice amongst Igede People of Nigeria. Part II. Afr.J.Trad. 2005; 2(2): 134-152
3. Adeneye, AA, and Agbaje, EO. Pharmacological evaluation of oral hypoglycemic and Antidiabetic effects of fresh leaves ethanol extract of *Morinda lucida* Benth in normal and alloxan-induced diabetic rats. Afr J. Biomed Res. 2008; 11:65-71
4. Knox J. Caster B. Dietary supplements for prevention and treatments of coronary artery diseases. Altern complement med. 2007; 13 (1): 83-95
5. Cowan MM. Plants products as antimicrobial agents. Clinical microbiology Reviews. 1999; 12:564-582.
6. Lawal, HO, Etatuvie, SO, Fawehinmi A. Ethno medicinal and pharmacological properties of *Morinda lucida*. Journal of natural products 2012; 5: 93-99.
7. Adesida, GA., Adesogan, EK. Oruwal, a novel dihydroanthraquinone pigment from *Morinda lucida* Benth. J. Chemical Soci. Chemical Communications 1972; 1:405-406.
8. Adewumi, CO. Ethno medicinal and Pharmacological properties of *Morinda lucida*. Journal of Ethno pharmacology 1984; Vol.4, 75-84.
9. Adjanohoun, JE, Ahiyi, MRA, Ake Assi, L and Fadoju S.O. The useful plants of tropical Western Nigeria. Vitam Nutr Res. 1991; Vol 2, 66:19-30.
10. Burkill, HM (Author). The useful Plants of Tropical West Africa. Publisher: Royal Botanical Gardens, Kew. Vol. 6.
11. Young IS, Woodside IS. Antioxidants in health and disease. J Clin Pathol. 2005; 54:176-186
12. Webber P, Bendich A, Schalch. Ascorbic acid and human health- are view of recent data relevant to human requirements. Int J Vitam Nutr Res.1996.